



SAFETY DATA SHEET

Cherry Glaze

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	Cherry Glaze
PRODUCT NO.	453-9
APPLICATION	Polish
SUPPLIER	Autosmart International Ltd Lynn Lane, Shenstone, nr Lichfield Staffordshire. WS14 0DH England www.autosmartinternational.com Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00) info@autosmartinternational.com
EMERGENCY TELEPHONE	Mob: +44 (0) 7808 971321 (24hrs) Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00)

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification (67/548)
Aluminium Silicate		1332-58-7	1-5%	-
Naphtha (petroleum),hydrotreated heavy	265-150-3	64742-48-9	10-30%	Xn;R65. R10,R66.
ODOURLESS KEROSENE	265-149-8	64742-47-8	1-5%	Xn;R65. R66.
OLEYLBIS(2-HYDROXYETHYL)AMINE	246-807-3	25307-17-9	< 1%	Xn;R22. C;R34. N;R50.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues.

SKIN CONTACT

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

UNUSUAL FIRE & EXPLOSION HAZARDS

No unusual fire or explosion hazards noted.

Cherry Glaze

SPECIFIC HAZARDS

Oxides of: Carbon.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

For personal protection, see section 8.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Do not contaminate water sources or sewer. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Flush area clean with lots of water. Be aware of potential for surfaces to become slippery.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Avoid inhalation of vapours. During application and drying, solvent vapours will be emitted.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
Aluminium Silicate	WEL		2 mg/m3			
Cherry Glaze	WEL					
Naphtha (petroleum),hydrotreated heavy	WEL		1000 mg/m3			
ODOURLESS KEROSENE	WEL		1000 mg/m3			

WEL = Workplace Exposure Limit.

PROTECTIVE EQUIPMENT



PROCESS CONDITIONS

Provide eyewash station.

ENGINEERING MEASURES

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use respiratory equipment with combination filter, type A2/P3.

HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Provide eyewash station. Wear appropriate clothing to prevent repeated or prolonged skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Viscous Liquid

Cherry Glaze

COLOUR	Pink		
ODOUR	Pleasant, agreeable.		
SOLUBILITY	Insoluble in water Miscible with: Hydrocarbons.		
RELATIVE DENSITY	~ 0.940 (20°C)	FLASH POINT (°C)	> 62 CC (Closed cup).
VOLATILE ORGANIC COMPOUND (VOC)	228 g/litre		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS POLYMERISATION

Will not polymerise.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION**GENERAL INFORMATION**

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

INHALATION

Vapours may cause headache, fatigue, dizziness and nausea.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

May cause defatting of the skin, but is not an irritant.

EYE CONTACT

Spray and vapour in the eyes may cause irritation and smarting.

HEALTH WARNINGS

Serious long-term effects are not known to be related to this type of product.

ROUTE OF ENTRY

Ingestion. Inhalation.

MEDICAL SYMPTOMS

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals. Prolonged or repeated exposure may cause: Dry skin.

Name	OLEYLBI(2-HYDROXYETHYL)AMINE
Toxic Dose 1 - LD 50	1000-2000 mg/kg (oral rat)
Name	Naphtha (petroleum),hydrotreated heavy
Toxic Dose 1 - LD 50	3160 mg/kg (oral rat)
Name	ODOURLESS KEROSENE
Toxic Dose 1 - LD 50	>15,000 mg/kg (skn-rat)
Toxic Dose 2 - LD 50	3160 mg/kg (oral rat)

12 ECOLOGICAL INFORMATION**ECOTOXICITY**

The product contains a substance which is very toxic to aquatic organisms.

MOBILITY

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. The product is partly miscible with water and may spread in the aquatic environment.

BIOACCUMULATION

The product does not contain any substances expected to be bioaccumulating.

DEGRADABILITY

The product contains inorganic compounds which are not biodegradable. The other substances of the product are slowly biodegradable.

WATER HAZARD CLASSIFICATION

WGK 1

Cherry Glaze

Name OLEYLBIS(2-HYDROXYETHYL)AMINE

Ecotoxicity

The product contains a substance which is very toxic to aquatic organisms.

LC 50, 96 Hrs, FISH mg/l 0.39

EC 50, 48 Hrs, DAPHNIA, mg/l 0.1

IC 50, 72 Hrs, ALGAE, mg/l 0.01-0.1

Bioaccumulation potential

No data available on bioaccumulation.

Degradability

The product is easily biodegradable.

Name Naphtha (petroleum),hydrotreated heavy

Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Bioaccumulation potential

The product does not contain any substances expected to be bioaccumulating.

Degradability

Volatile substances are degraded in the atmosphere within a few days.

Name ODOURLESS KEROSENE

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Bioaccumulation potential

The product does not contain any substances expected to be bioaccumulating.

Degradability

Volatile substances are degraded in the atmosphere within a few days.

Name Aluminium Silicate

Ecotoxicity

The product is not expected to be hazardous to the environment.

Mobility

Not relevant, due to the form of the product.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

The packaging must be empty (drop-free, when inverted)

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S23 Do not breathe vapour/spray.

S37 Wear suitable gloves.

S51 Use only in well-ventilated areas.

P13 Safety data sheet available for professional user on request.

DETERGENT LABELLING

< 5% Non-ionic surfactants
Cationic surfactants
Perfumes

Cherry Glaze

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

GUIDANCE NOTES

Workplace Exposure Limits EH40.

NATIONAL REGULATIONS

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

16 OTHER INFORMATION

GENERAL INFORMATION

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Only trained personnel should use this material.

REVISION DATE 16/11/2010

REV. NO./REPL. SDS GENERATED 4

RISK PHRASES IN FULL

R34	Causes burns.
R10	Flammable.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
NC	Not classified.
R66	Repeated exposure may cause skin dryness or cracking.
R50	Very toxic to aquatic organisms.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.