



**SAFETY DATA SHEET**  
**Non Caustic Sanitiser**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product Name Non Caustic Sanitiser  
Product No. 106-20

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses Sanitiser and cleaner

**1.3. Details of the supplier of the safety data sheet**

Supplier: Autosmart International Ltd  
Lynn Lane,  
Shenstone, nr Lichfield  
Staffordshire. WS14 0DH  
England  
www.autosmartinternational.com  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)  
info@autosmartinternational.com  
Contact Person Mr. Russell Butler

**1.4. Emergency telephone number**

Mob: +44 (0) 7808 971321 (24hrs)  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Classification (1999/45/EEC) Xi;R36/38.

**2.2. Label elements**

Detergent Labelling: < 5% Non-ionic surfactants  
Cationic surfactants  
Amphoteric surfactants  
Labelling Contains COCOALKONIUM CHLORIDE



Irritant

Risk Phrases

R36/38 Irritating to eyes and skin.

Safety Phrases

S24/25 Avoid contact with skin and eyes.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S37 Wear suitable gloves.  
P14 Contains 3-Lauramidopropyl trimethyl ammonium methyl sulfate. May produce an allergic reaction.  
S51 Use only in well-ventilated areas.  
S35 This material and its container must be disposed of in a safe way.

**Non Caustic Sanitiser****2.3. Other hazards**

This product does not contain any PBT or vPvB Substances.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

|   |   |
|---|---|
| SODIUM HYDROXIDE  | 1-5%  |
| CAS-No.: 1310-73-2  | EC No.: 215-185-5   |
| Classification (EC 1272/2008)<br>Skin Corr. 1A - H314   | Classification (67/548/EEC)<br>C;R35                          |
| C9-11 Alcohol 6EO   | 1-5%  |
| CAS-No.: 68439-46-3   | EC No.:   |
| Classification (EC 1272/2008)<br>Acute Tox. 4 - H302<br>Eye Dam. 1 - H318   | Classification (67/548/EEC)<br>Xn;R22.<br>Xi;R41.             |
| 3-Lauramidopropyl trimethyl ammonium methyl sulfate   | < 1%  |
| CAS-No.: 10595-49-0   | EC No.: 234-204-8   |
| Classification (EC 1272/2008)<br>Acute Tox. 4 - H302<br>Eye Irrit. 2 - H319<br>Skin Sens. 1 - H317  | Classification (67/548/EEC)<br>Xn;R22.<br>Xi;R36.<br>R43.     |
| COCOBENZYLDMETHYLAMMONIUM CHLORIDE  | < 1%  |
| CAS-No.: 61789-71-7   | EC No.: 263-080-8   |
| Classification (EC 1272/2008)<br>Acute Tox. 4 - H302<br>Acute Tox. 4 - H312<br>Skin Corr. 1B - H314<br>Aquatic Acute 1 - H400                     | Classification (67/548/EEC)<br>Xn;R21/22.<br>C;R34.<br>N;R50. |
| 2-BUTOXYETHANOL   | < 1%  |
| CAS-No.: 111-76-2   | EC No.: 203-905-0   |
| Classification (EC 1272/2008)<br>Acute Tox. 4 - H302<br>Acute Tox. 4 - H312<br>Acute Tox. 4 - H332<br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319 | Classification (67/548/EEC)<br>Xn;R20/21/22<br>Xi;R36/38      |

The Full Text for all R-Phrases is Hazard Statements are Displayed in Section 16

**SECTION 4: FIRST AID MEASURES****4.1. Description of first aid measures**

Inhalation.

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

## Non Caustic Sanitiser

### Ingestion

Remove victim immediately from source of exposure. Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

### Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Rinse the skin immediately with lots of water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

### Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### **4.2. Most important symptoms and effects, both acute and delayed**

#### General Information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

#### Inhalation.

Coughing, chest tightness, feeling of chest pressure.

#### Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

#### Skin Contact

Prolonged contact may cause redness, irritation and dry skin.

#### Eye Contact

May cause blurred vision and serious eye damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

## SECTION 5: FIREFIGHTING MEASURES

### **5.1. Extinguishing media**

#### Extinguishing Media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### **5.2. Special hazards arising from the substance or mixture**

#### Hazardous Combustion Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

#### Specific Hazards

The product is non-combustible. If heated, irritating vapours may be formed. Acrid smoke/fumes of : Oxides of: Carbon. Nitrogen.

### **5.3. Advice for firefighters**

#### Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

#### Protective Measures In Fire

Face mask, protective gloves and safety helmet. Use protective equipment appropriate for surrounding materials.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

For personal protection, see section 8.

### **6.2. Environmental precautions**

Do not discharge onto the ground or into water courses. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

### **6.3. Methods and material for containment and cleaning up**

Wear necessary protective equipment. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush area clean with lots of water. Be aware of potential for surfaces to become slippery. Flush to sewer if local regulations permit. Wash thoroughly after dealing with a spillage.

### **6.4. Reference to other sections**

For personal protection, see section 8. For waste disposal, see section 13.

## Non Caustic Sanitiser

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Avoid spilling, skin and eye contact. Observe good chemical hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Keep above the chemical's freezing point to avoid rupturing the container.

Storage Class

Chemical storage.

**7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

| Name             | STD | TWA - 8 Hrs |  | STEL - 15 Min |         | Notes |
|------------------|-----|-------------|--|---------------|---------|-------|
| 2-BUTOXYETHANOL  | WEL | 25 ppm      |  | 50 ppm        |         | Sk    |
| SODIUM HYDROXIDE | WEL |             |  |               | 2 mg/m3 |       |

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

**8.2. Exposure controls**

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

Respiratory Equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P3).

Hand Protection

Protective gloves should be used if there is a risk of direct contact or splash. Use protective gloves made of: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye Protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

|  |                                       |
|--|---------------------------------------|
| Appearance                               | Liquid                                |
| Colour                                   | Light (or pale) Straw                 |
| Odour                                    | Mild                                  |
| Solubility                               | Soluble in water. Miscible with water |
| Initial Boiling Point and Boiling Range: | ~ 100 @ 760 mm Hg                     |

## Non Caustic Sanitiser

|                            |                |
|----------------------------|----------------|
| Melting Point (°C)         | ~ 0            |
| Relative Density           | ~ 1.070 (20°C) |
| Vapour Density (Air=1)     |                |
| Not applicable.            |                |
| Vapour Pressure            |                |
| Not applicable.            |                |
| Evaporation Rate           |                |
| Not available.             |                |
| pH-Value, Conc. Solution   | ~ 13.0         |
| pH-Value, Diluted Solution | ~ 11.1 @ 1%    |
| Viscosity                  | ~ 1 cSt        |

Decomposition Temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash Point (°C)

Not applicable.

Auto Ignition Temperature (°C)

Not applicable.

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Partition Coefficient (N-Octanol/Water) Not available.  
< 0

Oxidising Properties

Not applicable.

Comments Information declared as "Not available" or "Not applicable" is not considered to be justified for enabling proper control measures to be taken.

### **9.2. Other information**

Volatile Organic Compound (VOC) 2 g/litre

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1. Reactivity**

No specific reactivity hazards associated with this product.

### **10.2. Chemical stability**

Stable under normal temperature conditions.

### **10.3. Possibility of hazardous reactions**

Hazardous Polymerisation

Will not polymerise.

### **10.4. Conditions to avoid**

Avoid excessive heat for prolonged periods of time. The solution is strongly alkaline and reacts with strong acids with heat generation.

### **10.5. Incompatible materials**

Materials To Avoid

Strong acids. Strong oxidising substances.

### **10.6. Hazardous decomposition products**

No specific hazardous decomposition products noted.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

Skin Corrosion/Irritation - Animal Data

Scientifically unjustified.



## Non Caustic Sanitiser

Acute Toxicity - Microorganisms

Not determined.

Acute Toxicity - Terrestrial

Not determined.

### **12.2. Persistence and degradability**

Degradability:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. The product is biodegradable, but it must not be discharged into drains without permission from the authorities.

### **12.3. Bioaccumulative potential**

Bioaccumulative Potential:

The product does not contain any substances expected to be bioaccumulating.

Partition Coefficient < 0

### **12.4. Mobility in soil**

Mobility:

The product is soluble in water.

### **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB Substances.

### **12.6. Other adverse effects**

Not applicable.

**Non Caustic Sanitiser****Name 2-BUTOXYETHANOL**

LC 50, 96 Hrs, Fish mg/l 1395-1575

EC 50, 48 Hrs, Daphnia, mg/l 1815

IC 50, 72 Hrs, Algae, mg/l &gt;500

**Mobility**

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

**Bioaccumulative Potential**

The product is not bioaccumulating.

**Degradability**

The product is biodegradable.

**Name SODIUM HYDROXIDE**

LC 50, 96 Hrs, Fish mg/l 125

**Mobility**

The product is soluble in water.

**Bioaccumulative Potential**

The product is not bioaccumulating.

**Degradability**

The product is biodegradable.

**Name COCOBENZYLDMETHYLAMMONIUM CHLORIDE**

LC 50, 96 Hrs, Fish mg/l 10

EC 50, 48 Hrs, Daphnia, mg/l 1

IC 50, 72 Hrs, Algae, mg/l 1

**Bioaccumulative Potential**

The product is not bioaccumulating.

**Degradability**

The product is biodegradable.

**Acute Fish Toxicity**

Very toxic to aquatic organisms.

**Name C9-11 Alcohol 6EO**

LC 50, 96 Hrs, Fish mg/l 10

EC 50, 48 Hrs, Daphnia, mg/l 10

IC 50, 72 Hrs, Algae, mg/l 10

**Mobility**

The product is soluble in water.

**Bioaccumulative Potential**

The product does not contain any substances expected to be bioaccumulating.

**Degradability**

The product is biodegradable.

**Name 3-Lauramidopropyl trimethyl ammonium methyl sulfate****Mobility**

The product is soluble in water.

**Bioaccumulative Potential**

The product does not contain any substances expected to be bioaccumulating.

**Degradability**

The product is easily biodegradable.

**SECTION 13: DISPOSAL CONSIDERATIONS****General Information**

The packaging must be empty (drop-free, when inverted)

**13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction.

**SECTION 14: TRANSPORT INFORMATION****14.1. UN number**

UN No. (ADR/RID/ADN) 1719

UN No. (IMDG) 1719

UN No. (ICAO) 1719

## Non Caustic Sanitiser

### **14.2 UN Proper shipping name**

Proper Shipping Name CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

### **14.3 Transport hazard class(es)**

ADR/RID/ADN Class 8  
 ADR/RID/ADN Class Class 8: Corrosive substances.  
 ADR Label No. 8  
 IMDG Class 8  
 ICAO Class/Division 8  
 Transport Labels



### **14.4. Packing group**

ADR/RID/ADN Packing group III  
 IMDG Packing group III  
 ICAO Packing group III

### **14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant  
 No.

### **14.6. Special precautions for user**

IMDG Code Segregation Group 18. Alkalis  
 EMS F-A, S-B  
 Emergency Action Code 2R  
 Hazard No. (ADR) 80  
 Tunnel Restriction Code (E)

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## SECTION 15: REGULATORY INFORMATION

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

Health And Environmental Listings

Regulation EC 689/2008 concerning the export and import of dangerous chemicals.

Water Hazard Classification

WGK 2

### **15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

## Non Caustic Sanitiser

### SECTION 16: OTHER INFORMATION

#### General Information

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.  
Only trained personnel should use this material.

#### Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 21/02/2011

Revision 5

Supersedes Date 09/02/2011

#### Risk Phrases In Full

R34 Causes burns.  
R35 Causes severe burns.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R22 Harmful if swallowed.  
R21/22 Harmful in contact with skin and if swallowed.  
R36/38 Irritating to eyes and skin.  
R36 Irritating to eyes.  
R43 May cause sensitisation by skin contact.  
R41 Risk of serious damage to eyes.  
R50 Very toxic to aquatic organisms.

#### Hazard Statements In Full

H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H332 Harmful if inhaled.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.